

STILEX

IMPACT

®

A BETTER FLOOR

OPULENCE®

LVT FLOORING



NATURE INSPIRED DESIGNS

RESPONSIVE

IMPACT
A BETTER FLOOR



PLANK SIZE: 7.25" x 48" x 2.0mm

OPULENCE®

LVT FLOORING

SIZE: 7.25" x 48"

THICKNESS: 2.0 MM

WEAR LAYER: 12 MIL | 0.30 MM

PIECES: 20 PER BOX

COVERAGE: 48.33 SF / CARTON | 4.49 M² / CARTON

INSTALLATION: DRY BACK, GLUE DOWN

OPULENCE®

LVT FLOORING

Luxury Vinyl Tiles For Light To Heavy Commercial | PUR Polyurethane Reinforcement | Product Standard: ISO 10582

CERTIFICATION & CLASSIFICATION	STANDARD	IMPACT OPULENCE®
TYPE OF FLOOR COVERING	ISO 10582	LUXURY VINYL TILE
CE CERTIFICATION	EN 14041	Yes
CLASSIFICATION	EN ISO 10874	Commercial : 31 Heavy Commercial : 34

TECHNICAL CHARACTERISTICS	STANDARDS	IMPACT OPULENCE®
TOTAL THICKNESS	EN ISO 2436 (EN 428)	2.0 MM (2.5mm / 3.0mm AVL on demand)
WEAR LAYER THICKNESS	EN ISO 24340 (EN 429)	0.30 MM (0.50 / 0.70 AVL on demand)
SURFACE TREATMENT	UV TREATED	PUR
TOTAL WEIGHT	EN ISO 23997 (EN 430)	3300 g/m ²
WEAR LAYER BINDER CONTENT	ISO 10582	TYPE I
FORM OF DELIVERY	EN ISO 24342 (EN 427) Planks box	7.25" X 48" 20 Planks / Carton = 48.33 SF 185 X 1219 mm 20 Planks / Carton = 4.49 m ²

TECHNICAL PERFORMANCES	STANDARDS	IMPACT OPULENCE®
DIMENSIONAL STABILITY	EN ISO 23999 (EN 434)	≤ 0.25%
REACTION TO FIRE	EN 13501 - 1	Bfl- S1 glued over A2fl substrate (concrete)
RESIDUAL INDENTATION	EN ISO 24343-1 (EN 433)	Required value : ≤ 0.10mm Average measured value : 0.03mm
FURNITURE LEG	EN 424	No Damage
CASTOR CHAIR	EN ISO 4918 (EN 425)	No Damage
CURL RESULTANT TO HEAT	EN ISO 23999 (434)	≤ 2mm
THERMAL RESISTANCE	EN ISO 10456	0.07 M2 K/W
LIGHT FASTNESS	EN ISO 105 - B02	PASS
RESISTANCE TO CHEMICALS	EN ISO 26987 (EN423)	Good Resistance
SLIP RESISTANCE	DIN51130 EN 13893	R9 PASS
ELECTRICAL PROPERTIES	EN 1815 EN 1081	<2 kV on concrete R1 > 10 ¹⁰ Ω



ISO 9001
ISO 14001
ISO 18001



EN 14041



OPULENCE
LVT FLOORING


UV SURFACE TREATMENT: Thickness In Microns

- Transparent PVC Wear Layer 0.3m
- Super Stain And Scratch Resistant
- Completely Waterproof
- Protects From Abrasion

DECORATIVE FILM

- Restores The Colour And Emboss
- Elegant Wood Designs
- Natural Looking & Natural Feeling

OVER ALL THICKNESS: 2.0 mm



FIBER GLASS LAYER

- Provides Dimensional Stability
- Ensures Flat & Even Installation

1mm PVC BACKING LAYER

- Insulates Sound
- Provides Underfoot Comfort
- No Bugs, No Termites

FEATURES & BENEFITS



Superior Scratch
& Stain Resistant



Zero
Maintenance



Easy
Clean



Natural Looking
Design



Heavy
Foot Traffic



Easy
Installation

APPLICATIONS



Corporate Offices



Residential



Retail



Hospitality

LIGHT NAVAJO

IMP-OPL-01

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

LIGHT NAVAJO
IMP-OPL-01



LIGHT NAVAJO

IMP-OPL-01

5 UNIQUE PATTERN VARIATIONS



A



B



C



D



E

BAVARIAN BEECH

IMP-OPL-02

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

BAVARIAN BEECH

IMP-OPL-02



BAVARIAN BEECH

IMP-OPL-02

5 UNIQUE PATTERN VARIATIONS



A



B



C



D



E

GOLDEN HUSK

IMP-OPL-03

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

GOLDEN HUSK

IMP-OPL-03



GOLDEN HUSK

IMP-OPL-03

5 UNIQUE PATTERN VARIATIONS



A



B



C



D



E

WILD CAMARU

IMP-OPL-04

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

WILD CAMARU

IMP-OPL-04



WILD CAMARU

IMP-OPL-04

5 UNIQUE PATTERN VARIATIONS




A



B



C



D



E

RED CHESTNUT

IMP-OPL-05

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

RED CHESTNUT
IMP-OPL-05



RED CHESTNUT

IMP-OPL-05


5 UNIQUE PATTERN VARIATIONS



A



B



C



D



E

PROVINCIAL OAK

IMP-OPL-06

RESPONSIVE 

IMPACT[®]

A BETTER FLOOR

PROVINCIAL OAK
IMP-OPL-06



PROVINCIAL OAK

IMP-OPL-06

5 UNIQUE PATTERN VARIATIONS




A




B



C



D



E

DISTRESSED GREY

IMP-OPL-09

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

DISTRESSED GREY

IMP-OPL-09



DISTRESSED GREY

IMP-OPL-09

5 UNIQUE PATTERN VARIATIONS



A



B



C



D



E

LIGHT PRUNE

IMP-OPL-10

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

LIGHT PRUNE

IMP-OPL-10



LIGHT PRUNE

IMP-OPL-10

5 UNIQUE PATTERN VARIATIONS



A



B



C



D



E

ARTISINAL OAK

IMP-OPL-11

RESPONSIVE 

IMPACT
A BETTER FLOOR

ARTISINAL OAK
IMP-OPL-11



ARTISINAL OAK

IMP-OPL-11


5 UNIQUE PATTERN VARIATIONS




A



B



C



D



E

DRIFTWOOD STAIN

IMP-OPL-12

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

DRIFTWOOD STAIN

IMP-OPL-12



DRIFTWOOD STAIN

IMP-OPL-12

5 UNIQUE PATTERN VARIATIONS




A



B



C



D



E