

**STILEX**

**IMPACT**

**A BETTER FLOOR**

**BELLISIMO**<sup>®</sup>

**SPC FLOORING**



**14F DROP CLICK SYSTEM**


RESPONSIVE



IMPACT

A BETTER FLOOR

A BETTER  
FLOOR



**TILE SIZE: 18" x 36" x 4.5mm**

**BELLISIMO®**

**SPC FLOORING**

**SIZE: 18" x 36"**

**THICKNESS: 4.5 MM**

**WEAR LAYER: 12 MIL | 0.30 MM**

**PIECES: 8 PER BOX**

**COVERAGE: 35.97 SQ FT / BOX | 3.34 M<sup>2</sup> / BOX**

**INTERLOCK: I4F DROP CLICK SYSTEM**

**BELLISIMO**

**SPC FLOORING: I4F CLICK SYSTEM**

SPC FLOORING FOR HEAVY COMMERCIAL USE | PUR Polyurethane Reinforcement | Product Standard BELLISIMO ASTM F3261


| CERTIFICATION & CLASSIFICATION | STANDARD     | BELLISIMO®                    |
|--------------------------------|--------------|-------------------------------|
| TYPE OF FLOOR COVERING         | ISO 10582    | SPC                           |
| CE CERTIFICATION               | EN 14041     | Yes                           |
| CLASSIFICATION                 | EN ISO 10874 | Heavy Traffic : Class 33 & 42 |

| TECHNICAL CHARACTERISTICS | STANDARDS                            | BELLISIMO®                                                                                          |
|---------------------------|--------------------------------------|-----------------------------------------------------------------------------------------------------|
| TOTAL THICKNESS           | EN ISO 24346 (EN 428)                | 4.50 MM                                                                                             |
| WEAR LAYER THICKNESS      | EN ISO 24340 (EN 429)                | 0.30 MM   12 MIL                                                                                    |
| SURFACE TREATMENT         | UV TREATED                           | PUR                                                                                                 |
| TOTAL WEIGHT              | EN ISO 23997 (EN 430)                | 7.4 kg/m <sup>2</sup>   1.52 lbs / sq.ft                                                            |
| WEAR LAYER BINDER CONTENT | ISO 10582                            | TYPE I                                                                                              |
| FORM OF DELIVERY          | EN ISO 24342 ( EN 427)<br>Planks box | 18" X 36" = 35.97 sq.ft   8 Pieces per box<br>457 X 914 mm = 3.34 m <sup>2</sup>   8 Pieces per box |


| TECHNICAL PERFORMANCES  | STANDARDS                   | BELLISIMO®                                                   |
|-------------------------|-----------------------------|--------------------------------------------------------------|
| DIMENSIONAL STABILITY   | EN ISO 23999 ( EN 434)      | ≤ 0.10%                                                      |
| REACTION TO FIRE        | EN 13501 - 1                | Bfl- S1                                                      |
| RESIDUAL INDENTATION    | EN ISO 24343-1 (EN 433)     | Required value : ≤ 0.10mm<br>Average measured value : 0.03mm |
| FURNITURE LEG           | EN 424                      | No damage                                                    |
| CASTOR CHAIR            | EN ISO 4918 (EN 425)        | No damage                                                    |
| CURL RESULTANT TO HEAT  | EN ISO 23999 (EN 434)       | ≤ 2mm                                                        |
| IMPACT SOUND REDUCTION  | EN ISO 140-8 EN ISO 717 - 2 | Δ Lnw = 8 dB                                                 |
| LIGHT FASTNESS          | EN ISO 105 - B02            | Above Grade 6                                                |
| RESISTANCE TO CHEMICALS | EN ISO 26987 (EN423)        | Not Affected                                                 |
| SLIP RESISTANCE         | DIN51130   EN 13893         | R9   CLASS DS                                                |





**ISO 9001**  
**ISO 14001**  
**ISO 18001**







**BELLISIMO**  
SPC FLOORING: I4F CLICK SYSTEM



**FEATURES & BENEFITS**

|                                                                                                                           |                                                                                                           |                                                                                                                     |                                                                                                           |                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <br>Superior Scratch & Stain Resistant | <br>No Bugs & Termites | <br>No Adhesive Required         | <br>100% Waterproof    | <br>Easy Clean                  |
| <br>Natural Looking Design             | <br>Zero Maintenance   | <br>Superb Dimensional Stability | <br>Heavy Foot Traffic | <br>Excellent Sound Insulation |

**APPLICATIONS**

|                                                                                                            |                                                                                                      |
|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <br>Corporate Offices | <br>Residential |
| <br>Retail            | <br>Hospitality |

---

**SATWARIO**

**IMP-BEL-01**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

**SATWARIO**

**IMP-BEL-01**



**SATWARIO**


**IMP-BEL-01**

**IMPACT**<sup>®</sup>  
A BETTER FLOOR


**8 UNIQUE PATTERN VARIATIONS**




**A**



**B**




**C**




**D**




**E**



**F**



**G**



**H**

---

**CALLACUTA GREY**

**IMP-BEL-02**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR



# CALLACUTA GREY

IMP-BEL-02



---


# CALLACUTA GREY

IMP-BEL-02

## 8 UNIQUE PATTERN VARIATIONS




A



B




C




D




E



F



G



H

---

# SILVER TRAVERTINE

IMP-BEL-03

RESPONSIVE 

**IMPACT**<sup>®</sup>

A BETTER FLOOR

# SILVER TRAVERTINE

IMP-BEL-03



---

# SILVER TRAVERTINE

IMP-BEL-03

## 8 UNIQUE PATTERN VARIATIONS



A



B



C



D



E



F



G



H

---

# COFFEE TRAVERTINE

IMP-BEL-04

RESPONSIVE 

**IMPACT**

A BETTER FLOOR

# COFFEE TRAVERTINE

IMP-BEL-04



# COFFEE TRAVERTINE

IMP-BEL-04

## 8 UNIQUE PATTERN VARIATIONS



A



B



C



D



E



F



G



H



---

**PIETRA DARK**

**IMP-BEL-05**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>

A BETTER FLOOR

PIETRA DARK  
IMP-BEL-05



---

**PIETRA DARK**

**IMP-BEL-05**

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

**8 UNIQUE PATTERN VARIATIONS**



**A**



**B**



**C**



**D**



**E**



**F**



**G**



**H**