

**STILEX**

**IMPACT**

®

**A BETTER FLOOR**

**RESONATE**®

**SPC FLOORING**



**UNILIN™ CLICK SYSTEM**

**RESPONSIVE**

**IMPACT**  
A BETTER FLOOR

**A BETTER  
FLOOR**

**PLANK SIZE: 9" x 48" x 5.0mm**

**RESONATE<sup>®</sup>**

**SPC FLOORING**

**SIZE: 9" x 48"**

**THICKNESS: 5.0 MM**

**WEAR LAYER: 20 MIL | 0.50 MM**

**PIECES: 10 PER BOX**

**COVERAGE: 30.18 SQ FT / BOX | 2.8 M<sup>2</sup> / BOX**

**INTERLOCK: UNLIN<sup>®</sup> CLICK SYSTEM**

# RESONATE®

## SPC FLOORING: UNICLIC / UNIPUSH™ CLICK SYSTEM

SPC FLOORING FOR HEAVY COMMERCIAL USE

PUR Polyurethane Reinforcement | Product Standard: ISO 10582

| CERTIFICATION & CLASSIFICATION | STANDARD     | RESONATE®                |
|--------------------------------|--------------|--------------------------|
| TYPE OF FLOOR COVERING         | ISO 10582    | SPC                      |
| CE CERTIFICATION               | EN 14041     | Yes                      |
| CLASSIFICATION                 | EN ISO 10874 | Heavy Traffic : Class 33 |

| TECHNICAL CHARACTERISTICS | STANDARDS                            | RESONATE®  |
|---------------------------|--------------------------------------|--|
| TOTAL THICKNESS           | EN ISO 2436 (EN 428)                 | 5.0 MM   |
| WEAR LAYER THICKNESS      | EN ISO 24340 (EN 429)                | 20 mil WL   0.50 MM  |
| SURFACE TREATMENT         | UV TREATED                           | PUR  |
| TOTAL WEIGHT              | EN ISO 23997 (EN 430)                | 8000 g/m <sup>2</sup>  |
| WEAR LAYER BINDER CONTENT | ISO 10582                            | TYPE I   |
| FORM OF DELIVERY          | EN ISO 24342 ( EN 427)<br>Planks box | 9" x 48" = 30.18 sq.ft   10 Pieces per box<br>230 x 1219 mm = 2.8 m <sup>2</sup>   10 Pieces per box |

| TECHNICAL PERFORMANCES  | STANDARDS                 | RESONATE®  |
|-------------------------|---------------------------|--|
| DIMENSIONAL STABILITY   | EN ISO 23999 ( EN 434)    | ≤ 0.10%  |
| REACTION TO FIRE        | EN 13501 - 1              | Bfl- S1  |
| RESIDUAL INDENTATION    | EN ISO 24343-1 (EN 433)   | Required Value : ≤ 0.10mm<br>Average Measured Value : 0.03mm |
| FURNITURE LEG           | EN 424                    | No Damage  |
| CASTOR CHAIR            | EN ISO 4918 (EN 425)      | No Damage  |
| CURL RESULTANT TO HEAT  | EN ISO 23999 (434)        | ≤ 2mm  |
| THERMAL RESISTANCE      | EN ISO 10456              | 0.07M2 K/W   |
| IMPACT SOUND REDUCTION  | EN ISO 140-8 EN ISO 717/2 | w = 11 Db  |
| LIGHT FASTNESS          | EN ISO 105 - B02          | PASS   |
| RESISTANCE TO CHEMICALS | EN ISO 26987 (EN423)      | Good Resistance  |
| SLIP RESISTANCE         | DIN51130<br>EN 13893      | R9   PASS  |
| ELECTRICAL PROPERTIES   | EN 1815<br>EN 1081        | < 2 kV On Concrete<br>R1 > 10 <sup>10</sup> Ω                |




**ISO 9001**  
**ISO 14001**  
**ISO 18001**













# RESONATE<sup>®</sup>





SPC FLOORING: UNICLIC / UNIPUSH<sup>™</sup> CLICK SYSTEM



## FEATURES & BENEFITS

|   |   |   |   |   |
|---|---|---|---|---|
| <br>Superior Scratch & Stain Resistant | <br>No Bugs & Termites | <br>No Adhesive Required         | <br>100% Waterproof    | <br>Easy Clean                 |
| <br>Natural Looking Design             | <br>Zero Maintenance   | <br>Superb Dimensional Stability | <br>Heavy Foot Traffic | <br>Excellent Sound Insulation |

## APPLICATIONS

|  |  |
|--|--|
| <br>Corporate Offices | <br>Residential |
| <br>Retail            | <br>Hospitality |

---

**SOFT BEECH**

**IMP-RES-01**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

---

**SOFT BEECH**  
**IMP-RES-01**



---

# SOFT BEECH

IMP-RES-01

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



---

**RAW ORGANIC**

**IMP-RES-02**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR



**RAW ORGANIC**  
**IMP-RES-02**



---

**RAW ORGANIC**  
**IMP-RES-02**

**8 UNIQUE  
PATTERN  
VARIATIONS**

A



B



C



D



E



F



G



H



---

**ROASTED OAK**

**IMP-RES-03**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

**ROASTED OAK**  
**IMP-RES-03**



---

# ROASTED OAK

IMP-RES-03

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



---

**GREY MAPLE**

**IMP-RES-04**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

**GREY MAPLE**  
**IMP-RES-04**



---

# GREY MAPLE

IMP-RES-04

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H





---

**SAND ASH**

**IMP-RES-05**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

---

**SAND ASH**

**IMP-RES-05**



---

**SAND ASH**  
**IMP-RES-05**

**8 UNIQUE  
PATTERN  
VARIATIONS**

A



B



C



D



E



F



G



H



---

**DRIFTWOOD GREY**

**IMP-RES-06**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

**DRIFTWOOD GREY**

IMP-RES-06



---

# DRIFTWOOD GREY

IMP-RES-06

## 8 UNIQUE PATTERN VARIATIONS

A



B



C



D



E



F



G



H



---

**GOLDEN OAK**  
**IMP-RES-07**

**RESPONSIVE** 

**IMPACT**  
A BETTER FLOOR

---

**GOLDEN OAK**  
IMP-RES-07





---

# GOLDEN OAK

IMP-RES-07

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



---

**TAVERN BROWN**

**IMP-RES-08**

**RESPONSIVE** 

**IMPACT**

A BETTER FLOOR

**TAVERN BROWN**

**IMP-RES-08**



---

# TAVERN BROWN

IMP-RES-08

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



**RUSTIC BARN**

**IMP-RES-09**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

**RUSTIC BARN**

**IMP-RES-09**



---

# RUSTIC BARN

IMP-RES-09

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



---

**MEDIUM OAK**  
**IMP-RES-10**

**RESPONSIVE** 

**IMPACT**  
A BETTER FLOOR



---

**MEDIUM OAK**  
**IMP-RES-10**



---

**MEDIUM OAK**  
**IMP-RES-10**

**8 UNIQUE  
PATTERN  
VARIATIONS**

A



B



C



D



E



F



G



H



---

**RICH MAHOGANY**

**IMP-RES-11**

**RESPONSIVE** 

**IMPACT**  
A BETTER FLOOR

**RICH MAHOGANY**  
**IMP-RES-11**



---


# RICH MAHOGANY

IMP-RES-11

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

## 8 UNIQUE PATTERN VARIATIONS

A



B



C



D



E



F



G



H



---

**COFFEE WALNUT**

**IMP-RES-12**

**COFFEE WALNUT**

**IMP-RES-12**



---

# COFFEE WALNUT

## IMP-RES-12

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H





---

**WHITE WASH BALS**

**IMP-RES-13**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

**WHITE WASH BALS**

**IMP-RES-13**



---

# WHITE WASH BALSA

IMP-RES-13


**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D




E



F



G



H



---

**SILVER FROST**

**IMP-RES-14**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

**SILVER FROST**  
**IMP-RES-14**



---

**SILVER FROST**  
**IMP-RES-14**

**8 UNIQUE  
PATTERN  
VARIATIONS**

A



B



C



D



E



F



G



H



---

**WEATHERED GREY**

**IMP-RES-15**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

# WEATHERED GREY

IMP-RES-15





---

# WEATHERED GREY

IMP-RES-15

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



---

**WHITE SPRUCE**

**IMP-RES-16**

---

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

**WHITE SPRUCE**  
IMP-RES-16



---

**WHITE SPRUCE**  
**IMP-RES-16**

**8 UNIQUE  
PATTERN  
VARIATIONS**

A



B



C



D



E



F



G



H



---

**ASH GREY**  
**IMP-RES-17**

**RESPONSIVE** 

**IMPACT**  
A BETTER FLOOR

---

**ASH GREY**  
**IMP-RES-17**



---

**ASH GREY**  
**IMP-RES-17**

**8 UNIQUE  
PATTERN  
VARIATIONS**

A



B



C



D



E



F



G



H



---

**VINTAGE SMOKE**

**IMP-RES-18**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR



**VINTAGE SMOKE**

**IMP-RES-18**



---

# VINTAGE SMOKE

IMP-RES-18

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



---

**GREY CIDER**

**IMP-RES-19**

**RESPONSIVE** 

**IMPACT**  
A BETTER FLOOR

**GREY CIDER**

**IMP-RES-19**



---

# GREY CIDER

## IMP-RES-19

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



---

**ANTIQUÉ OAK**

**IMP-RES-20**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

---

**ANTIQUÉ OAK**  
**IMP-RES-20**



---

# ANTIQUÉ OAK

IMP-RES-20

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

## 8 UNIQUE PATTERN VARIATIONS

A



B



C



D



E



F



G



H





---

**BROWN ROCKIES**

**IMP-RES-21**

**RESPONSIVE** 

**IMPACT**  
A BETTER FLOOR

---

**BROWN ROCKIES**

IMP-RES-21



---

# BROWN ROCKIES

IMP-RES-21

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



---

**RUSTIC SLATE**

**IMP-RES-22**

# RUSTIC SLATE

IMP RES 22



---

# RUSTIC SLATE

IMP-RES-22

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H



---

**GREY STONEWASH**

**IMP-RES-23**

**RESPONSIVE** 

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

---

# GREY STONEWASH

IMP-RES-23





---


# GREY STONEWASH

IMP-RES-23

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E




F



G



H



---

**EBONY CHARCOAL**  
**IMP-RES-24**

**RESPONSIVE** 

**IMPACT**  
A BETTER FLOOR

**EBONY CHARCOAL**

**IMP-RES-24**



---

# EBONY CHARCOAL

IMP-RES-24

**IMPACT**<sup>®</sup>  
A BETTER FLOOR

8 UNIQUE  
PATTERN  
VARIATIONS

A



B



C



D



E



F



G



H

